JAIST Repository

https://dspace.jaist.ac.jp/

Title	マルチエージェント強化学習を用いた複数観光客の持続可能な経路計画に関する研究
Author(s)	孔, 韵涛
Citation	
Issue Date	2024-12
Туре	Thesis or Dissertation
Text version	none
URL	http://hdl.handle.net/10119/19687
Rights	
Description	Supervisor: NGUYEN Minh Le, 先端科学技術研究科,博士



名 氏 孔 韵 涛 学 類 博士 (情報科学) 位 0 種 学 位 記 番 묽 博情第 539 号 学 位 授 与 年 月 日 令和6年12月24日 STUDY OF SUSTAINABLE ROUTE PLANNING FOR MULTIPLE 文 題 論 目 TOURISTS WITH MULTI-AGENT REINFORCEMENT LEARNING 論 文 審 査 委 員 Nguyen Le Minh **Professor JAIST** Shinobu Hasegawa **JAIST Professor** Kiyoaki Shirai **JAIST** Assoc. Prof. Satoshi Tojo Asia University **Professor** Qiang Ma Kyoto Insitite of Technology **Professor**

論文の内容の要旨

The rapid expansion of the tourism industry has led to a growing body of research focused on tourist route planning. However, most existing studies concentrate on individual tourist routing, leaving a significant gap in addressing scenarios that involve multiple tourists. Traditional approaches for multi-tourist route planning, often adapted from single-tourist models, tend to emphasize tourist preferences and advantages. This has resulted in challenges such as popularity-biased route planning, which intensifies issues like overtourism in highly popular areas and hinders sustainable tourism practices. To overcome these challenges, we propose a multi-agent reinforcement learning (MARL) framework for planning routes for multiple tourists, integrating tourist distribution into the process. Our method comprises two essential components: first, a novel reinforcement learning environment tailored for tourism, allowing interactions with multiple tourists; second, a dual-congestion model that accounts for both localized congestion at attractions and the broader city-wide distribution of tourists. This dual-congestion concept formulates the reward structure within our MARL framework. We validate our approach through extensive experiments using real-world human mobility data from Kyoto, a renowned global tourist destination. The results demonstrate that our model outperforms current approaches in optimizing route rewards while managing tourist distribution effectively. Furthermore, we conducted a user study to assess the impact of our congestion-aware mechanism on tourist experiences. The findings suggest that while our dual-congestion model may slightly impact tourists who favor popular destinations, it underscores the generally conflicting relationship between sustainable tourism and individual tourist preferences. Importantly, our model shows potential in transforming this conflict into a more cooperative interaction.

Additionally, we explore multi-agent communication protocols. To alleviate the non-stationary problem in MARL, we employ techniques to denoise irrelevant information and perform information fusion effectively. Our implementation of two types of selectors and three attention-based QA methods shows the framework's capability to handle large-scale agents' interaction. Moreover, experiments indicate that traditional methods provide limited improvements for the non-stationary challenges in our scenario, pointing to future research directions focusing on sequential actions of agents and the adaptation of joint optimization in collaborative-adversarial scenarios. Next, we reveal the similarity between multi-agent communication and Multi-hop Question Answering (QA), and apply our proposed communication framework on Multi-hop QA. We develop the advancements in Multi-hop QA by

developing the "Answer Multi-hop questions by Single-hop QA" (AMS) system. This innovative approach employs a denoise component and a single-hop QA model adopting the co-attention and self-attention architecture. Our AMS system outperforms existing GNN-based models on the HotpotQA dataset, showcasing improvements in Joint EM and Joint F1 scores while using fewer resources. It illustrates our framework's effectiveness in other complicated task.

In summary, this research advocates a comprehensive approach for multiple tourists route planning with MARL. This work establishes a robust and collaborative framework for addressing the complex issue of popularity-biased tourists route planning, significantly advancing the capabilities for achieving sustainable tourism and efficient information sharing in complex environments.

Keywords: Multiple Tourists Route Planning, Multi-agent Reinforcement Learning, Multi-agent System Communication, Unbiased Route Planning, Sustainable Tourism Sightseeing.

論文審査の結果の要旨

The problem of tourist route planning is a practical extension of classic graph search algorithms, closely related to the traveling salesman problem. Tourists aim to maximize their visits across Points of Interest (POIs) within limited budgets and timeframes, all while avoiding overcrowded locations. This thesis presents a novel approach to multi-tourist route planning, focusing on both global and local constraints. The primary objective is to ensure that route planning considers global constraints—namely, the equitable distribution of tourists across POIs—so that all POIs receive a fair share of visitors. Simultaneously, the model addresses local constraints to optimize the satisfaction of individual tourists. To achieve this, the thesis proposes a new framework based on multi-agent reinforcement learning (MARL) that models interactions among agents. The proposed framework is validated through comprehensive experiments using real-world human mobility data from Kyoto, a globally renowned tourist city. The results demonstrate the model's superiority over existing methods in optimizing route rewards and managing tourist distribution. Additionally, a user study was conducted to assess the effect of the congestion-aware mechanism on tourists' experiences. The findings indicate that the dual-congestion model has a slight impact on tourists who prefer popular spots, highlighting the typically non-cooperative relationship between tourism sustainability and tourist self-interest. Notably, the model shows potential in transforming this non-cooperative relationship into a cooperative dynamic. To address the non-stationarity problem in MARL, the thesis employs techniques to denoise irrelevant information and effectively perform information fusion. The implementation of two types of selectors and three attention-based question-answering (QA) methods demonstrates the framework's capability to handle large-scale agent interactions. Furthermore, experiments indicate that traditional methods offer limited improvements for non-stationarity challenges in this scenario, suggesting future research directions that focus on the sequential actions of agents and the adaptation of joint optimization in collaborative-adversarial contexts.

In summary, this dissertation advocates a comprehensive approach to addressing the real-world biased-sightseeing problem using MARL. By incorporating innovative models with practical, real-world

mobility data and emphasizing both cooperation and competition among agents, this research establishes a foundational framework for MARL studies focused on route planning for multiple tourists. It fosters a more adaptive, efficient, and scalable system. This dissertation represents a significant advancement in sustainable and efficient tourist route planning methodologies, marking substantial progress toward achieving sustainable tourism that balances tourists' preferences with broader environmental and social considerations.

In conclusion, this is an excellent dissertation and we approve awarding a doctoral degree to Kong Yuntao.