

Title	Roadmapping and i -Systems
Author(s)	Ma, Tiejū; Yan, Hongbin; Nakamori, Yoshiteru
Citation	Lecture Notes in Computer Science, 4490: 1-8
Issue Date	2007
Type	Journal Article
Text version	author
URL	http://hdl.handle.net/10119/7919
Rights	This is the author-created version of Springer, Tiejū Ma, Hongbin Yan, and Yoshiteru Nakamori, Lecture Notes in Computer Science, 4490, 2007, 1-8. The original publication is available at www.springerlink.com , http://dx.doi.org/10.1007/978-3-540-72590-9_1
Description	

Roadmapping and *i*-Systems

Tieju Ma^{1,2,3}, Hongbin Yan¹, and Yoshiteru Nakamori¹

¹School of Knowledge Science, Japan Advanced Institute of Science and Technology,

1-1 Asahidai, Tatsunokuchi, Ishikawa 923-1292, Japan

²Research Center on Data Technology and Knowledge Economy,

CAS Beijing, China

³International Institute for Applied Systems Analysis

A-2361 Laxenburg, Austria

{tieju, hongbinyan, nakamori}@jaist.ac.jp

Abstract. The abstract should summarize the contents of the paper and should contain at least 70 and at most 150 words. It should be set in 9-point font size and should be inset 1.0 cm from the right and left margins. There should be two blank (10-point) lines before and after the abstract. This document is in the required format. Roadmapping, as a strategic planning tool, is attracting increasing applications in industries. By applying the principles of Interactive Planning (IP), this paper puts forward a new solution for making personal academic research roadmaps. Then this paper introduces an ongoing project that is to develop a roadmapping support system based on the solution, and gives some considerations about applying the *i*-System Methodology for enhancing the knowledge creation in a roadmapping process.

Keywords: We would like to encourage you to list your keywords in this section.

1 Introduction

Motorola Inc. firstly introduced the concept of "roadmap" as a strategic planning tool in the 1970s. Perhaps the most widely accepted definition of a roadmap was given by Bob Galvin, CEO of Motorola: "A roadmap is an extended look at the future of a chosen field of inquiry composed from the collective knowledge and imagination of the brightest drivers of change in that field". "Roadmaps" can mean different things to different people. What all those different roadmaps have in common, however, is their goal, to help their owners clarify the following three problems:

- Where are we now?
- Where do we want to go?
- How can we get there?

There are many existing solutions for roadmapping, developed for the purpose of industry, with strong commercial background. Roadmapping for supporting scientific research should be different from those solutions for industry, since academic labs have different features from commercial organizations. The main target of academic labs should be "emerging technology" and "creative invention", and academic

labs should also have the function for the accumulation and expansion of scientific knowledge and function for inspiring researchers. Based on the Interactive Planning (IP) Methodology, we developed a solution for the roadmapping for supporting scientific research. To improve the efficiency and effectiveness of the roadmapping process, we developed a web-based roadmapping support system. The purpose of making personal academic research roadmaps is not only to make plans, it should also be a knowledge creation process. The *i*-Systems methodology is a systems methodology that uses approaches in social and natural sciences complementarily [14-16], which is very useful for enhancing the knowledge creation in a roadmapping process.

The rest of this paper is organized as follows. Section 2 introduces the Interactive Planning Methodology and explains why we applied it for roadmapping. Section 3 gives the new solution for making personal academic research roadmap. Section 4 introduces the roadmapping support system. Section 5 gives some considerations about applying the *i*-system methodology for enhancing the knowledge creation in the roadmapping process.

2 Interactive Planning

IP was put forward by Ackoff R.L [1-4]. It is regarded as a basic methodology for solving creative problems by researchers in both the field of management science and the field of systems science. IP has the following three important principles, which we think are also very important in the roadmapping process.

- Participative principle. Ackoff believed that the process of planning is more important than the actual plan produced.
- Continuity principle. This principle points out that planning is a never-ending process, since the values of the organization's stakeholders will change over time and unexpected events will occur [6].
- Holistic principle. This principle insists that people should make plans both simultaneously and interdependently.

IP is composed five interrelated phases, namely, formulating the issue, ends planning, means planning, resource planning, and design of the implementation and controls. These phases should be "regarded as constituting a systemic process, so the phases may be started in any order and none of the phases, let alone the whole process, should ever be regarded as completed [4]".

In the description of IP, the objects are organizations, or systems from the viewpoint of systems science. A personal academic research plan can also be seen as a system inside human brain. In this sense, the

five phases of IP can be clearly mapped to the three important questions that roadmapping aims to answer. The first phase of IP, namely "formulating the issue", in fact tries to answer the question "where are we now"; the second phase of IP, "ends planning", corresponds to the problem "where do we want to go"; and the remaining three phases of IP, "means planning", "Resource Planning" and "Design of Implementation and Control" -- are for answering the question "how can we get there". Fig.1 shows the relationship between IP and the three important problems which roadmapping aims to solve.




Fig. 1. Relationship between IP and Roadmapping

3 A New Solution for Making Personal Academic Research RoadMaps

Applying the ideas of IP to the process of making personal academic research roadmaps can enhance communication among researchers from different fields, since IP pays much attention to the participation of stakeholders. In addition, an atmosphere can be created in which research on "emerging technology" and "creative invention" are encouraged by what R.L. Ackoff has called "idealized design" [1-4].

Idealized design is a very important feature of IP. It is meant to generate maximum creativity among all the stakeholders involved. "To ensure this, only two types of constraint upon the design are admissible. First, it must be technologically feasible, not a work of science fiction; it must be possible with known technology or likely technological developments; but it should not for example, assume telepathy. Second, it must be operationally viable; it should be capable of working and surviving if it is implemented. Financial, political, or similar constraints are not allowed to restrict the creativity of the design [1-4, 6]." Our solution is composed of six interrelated phases, as shown in Fig.2.

Phase 1: Forming groups. We believe that roadmapping should be a group activity and a consensus building process. A group should contain two kinds of members in addition to the regular members. The first is experienced researchers, for example, professors, associate professors and so on. The second is

knowledge coordinators. Knowledge coordinators are those people who can manage creative research activities based on the theory of knowledge creation [14].

Phase 2: Explanation from knowledge coordinators. In this phase, knowledge coordinators explain the following things (mainly) to all group members.

- Concept of roadmaps and the benefits of making roadmaps
- The role of every member
- The schedule of the group

Phase 3: Description of present situation. In this phase, the experienced researchers give a description of the present situation that mainly includes:

- Background knowledge in this research field
- The leading groups/labs, famous papers, journals and conferences over the world in the research field
- The common equipments and skills needed in this field
- Hot topics at current time in this research field




Fig. 2. Solution for making personal academic research roadmaps

Phase 4: Members' current status and idealized design. In this phase, every member firstly describes the experience (the skills and knowledge) he/she already has. Then, by using IP's idealized design, every member describes his/her research goals. The ideas generated by idealized design are discussed by the whole group, and each individual can refine, modify his/her idealized design with the benefit of the whole group's knowledge.

Phase 5: Research schedule and study schedule. In this phase, members not only make their own research schedules, but also make their own study schedules for reaching the goals. Those schedules should also be subjected to group discussion, and members need to modify those schedules according to the result of group discussion. After consensus is reached, group members can start to make their first-cut roadmaps. Road-mapping is a never ending process, people need to go back to some previous phases again and again, modify and improve their research roadmaps continuously.

Phase 6: Implementation and Control. This is mainly done by regular seminars, workshops and reports. By Phase 5, each researcher's personal research roadmap is ready. Although much effort has gone into making a reasonable research roadmap, it is still a first cut. The roadmap should be continuously refined in practice, which accords with the continuity principle of IP. The knowledge coordinator(s) should arrange regular seminars and workshops to monitor and control the implementation of the personal research roadmaps.

4 A RoadMapping Support System

As a project supported by the JAIST COE Program titled "technology creation based on knowledge science", a roadmapping support system is under developing. The benefits of using the system include: Helping researchers to managing their personal roadmaps; Helping the supervisor to managing his/her group/lab's research; Promoting the knowledge sharing among researchers, especially promoting the dispute among researchers; Building roadmap archives that can be used as the source of data mining (knowledge discovery).

The system is a web-based system. Basically, users only need a web browser, such as Internet Explorer or Netscape, and an Internet connection to access it. The following is the main techniques used for developing the system:

- Java [8] and Java Applet [9]. For running the system, client users need to download some Java plug-in. But users do not have to worry about this, the system will atomically check if there is the right plug-in in client computers, if there is no, then it will automatically download it.
- JSP (JavaServer Pages) [10].

- Java Servlet [11].
- Tomcat [7]. We use Tomcat 5.1 as the web server.
- SQL Server 2000 [12]. We use MSSQL Server 2000 as the background database server.

The user can see and modify his research roadmap which has been stored in the system. Besides the function of viewing and editing his/her own research roadmap, there are several functions that users can use.

Users can view other group members' research roadmap by clicking their names or research topics. The system provides two formats of a research roadmap, like an article, or like a table (ATRM model [17]). Users can make comments on other members' research roadmaps. The system allows users to make comments anonymously. As mentioned by Wierzbicki: Far Eastern societies are better than Western at Socialization and achieving consensus but (perhaps therefore) worse in Dispute [18]. Allowing making comments anonymously will promote the dispute among researchers, which is very important for knowledge creation. Sometimes users, especially the leader or supervisor of the group would like to have a general structure or a general view of his/her group's research. The system also provides tools, with which, it will be easy to see what the group is doing now, what it plans to do and when it will do them.

5 The I -Systems Methodology for Enhancing Knowledge Creation in Roadmapping Process

Developed by Nakamori, the *i*-systems methodology uses approaches in social and natural sciences complementarily [14-16]. According to Nakamori in [14], *i*-systems are composed of five subsystems/dimensions, at the subsystem Intervention, knowledge is a problem; at the subsystem Intelligence, knowledge is a model; at the subsystem Imagination, knowledge is scenarios; at the subsystem Involvement, knowledge is opinions; and at the subsystem Integration, knowledge is solutions.

Although the *i*-systems methodology does not give a sequential process or interrelated phases for practice, it identified the important dimensions and gave a clear description of the relationship among the five dimensions. The understandings of the knowledge creation process, which we can learn from the *i*-systems methodology, can help us to design a better knowledge creation space [18].

Interactive Planning Methodology is developed in industry, and it does not pay much attention to the "emerging technology" and "creative invention", which are the main targets of academic labs. So it is necessary to apply some methodologies, such as the *i*-systems methodology, which addresses much the knowledge creation process, to enhance the knowledge creation in the solution introduced in Section 3.

Instead of giving some concrete examples of applying i-systems methodology in roadmapping process, this paper only gives some considerations of applying it for making personal research roadmaps.

As shown in Fig.3, we start from the intervention dimension. In this dimension, one researcher should answer questions such as "what do you want to achieve" or "what's your purpose and motivation".




Fig. 3. The i-systems methodology for enhancing the knowledge creation in roadmapping process

When the researcher finds the answer to those questions, he/she would refer to the social dimension, the scientific dimension and creative dimension (referred to as the three dimensions in the following). In the scientific dimension, the researcher gathers knowledge of the existing research models related to his/her research purpose. This is mainly done by reading literatures. In the social dimension, the researcher gathers the opinions from industry and government, and of course also from other researchers, especially those experienced researchers who work in the same fields. Sometimes, communications with researchers from different field can bring surprising wonderful ideas. And in the creative dimension, the researcher generates his individual ideas, makes his purpose clearer and writes rough research proposals. We would not like to make a sequential process for the actions in the three dimensions because a researcher maybe refers to these three dimensions at the same time, or the researcher will frequently refer to one or more than one dimensions for many times. For example, we could not say clearly that the work of gathering existing research models should be finished in one or two months, and in this one or two months, a researcher does not refer to other dimensions. Researchers should consider the work referring to the three dimensions according to their own schedules. It is obviously that before a researcher answers the

questions asked in the intervention process, he/she already referred to the three dimensions, and his/her answer in fact is based on the three dimensions. After answering the questions in intervention dimension, a researcher need deliberately refer to the three dimensions for improving his/her answers. After the answer is determined, the researcher need refer to the three dimensions again for making his/her research roadmap. During those processes, discussions, brainstorming, seminars, workshops, and other methods of communication, with or without IT support, should be used for the knowledge sharing (learning from each other), and thus to enhance the knowledge creation.

In the integration dimension, researchers work out their personal academic research roadmaps, which can be viewed as the solutions for those questions asked in the intervention dimension. Since roadmapping is a never ending process, a researcher should continuously refer to all the five dimensions again and again for improving his/her research roadmap.

6 Concluding Remarks

This paper put forward a solution for making personal academic research roadmaps based on the IP Methodology, introduced a web-based roadmapping support system, and gave some considerations of applying the *i*-systems methodology for enhancing the knowledge creation in roadmapping process. In the practice of roadmapping [13], we found that roadmapping can be an unwieldy and time consuming process, which can discourage participation, while competent knowledge coordinators and proper IT (information technology) support can reduce this negative factor. In practice, we also found that roadmapping is more welcomed by junior researchers than senior researchers. It seems the benefits of roadmapping for junior researchers are obvious than those for senior researchers. Senior researchers are more likely to believe that they can arrange their research by themselves, and will be reluctant to spend time on roadmapping, but most of them would like to help making juniors researchers' roadmaps. The junior researchers are more likely to find that they can get useful information, knowledge, and good suggestions and ideas through the roadmapping process.

References

1. R. L. Ackoff, Brief Guide to Interactive Planning and Idealized Design, available at:<http://www.sociate.com/texts/AckoffGuidetoIdealizedRedesign.pdf>, 2001.
2. R. L. Ackoff, Creating the Corporate Future, Wiley, New York, 1981.
3. R. L. Ackoff, Redesigning the Future, New York: Wiley, 1974.
4. R. L. Ackoff, The Art of Problem Solving, New York: Wiley, 1978.
5. B. Bergeron, Essentials of Knowledge Management, Wiley, 2003.
6. R. L. Flood and M. C. Jackson, Interactive Planning, Creative Problem Solving: total systems intervention,

Wiley, Chapter 7, pp. 143-165, 1991.

7. <http://jakarta.apache.org/tomcat/>
8. <http://java.sun.com/>
9. <http://java.sun.com/applets/>
10. <http://java.sun.com/products/jsp/>
11. <http://java.sun.com/products/servlet/index.jsp>
12. <http://www.microsoft.com/sql/default.asp>
13. T. Ma, S. Liu, and Y. Nakamori, Roadmapping for supporting Scientific Research, The 17th International Conference on Multiple Criteria Decision Analysis, Canada, August, 2004.
14. Y. Nakamori and M. Takagi, Technology Creation Based on Knowledge Science, Proceedings of the First International Symposium on Knowledge Management for Strategic Creation of Technology, Ishikawa High-Tech Exchange Center, Japan, pp. 1-10, 2004.
15. Y. Nakamori, Knowledge Management System Toward Sustainable Society, Proceedings of the First International Symposium on Knowledge and System Sciences. E. Shimemura, Y. Nakamori, J. Gu and T. Yoshida (eds), 57-65. Ishikawa, Japan: Japan Advance Institute of Science and Technology, 2000.
16. Y. Nakamori, Towards Supporting Technology Creation Based on Knowledge Science, Systems Science and Systems Engineering, ICSSSE'03, Global-Link Publisher, pp. 33-38, 2003.
17. S. Okuzu, A Technology Management Methodology for Academic Science & Engineering Laboratories by Fusion of Soft System Methodology and Technology Road Mapping, masters thesis, Tokyo Institute of Technology, 2002.
18. P. Wierzbicki, Knowledge Integration: Creative Space and Creative Environments, working paper and a draft for a book, 2004.